

Датчики давления CX-PS-150, CX-PS-SV

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cxi@nt-rt.ru || сайт: <https://cixi.nt-rt.ru/>

CX-PS-150 The Intelligent Pressure Transducer Controller

CX-PS-150 series intelligent pressure controller is a set of pressure measurement, display, intelligent digital pressure measurement and control products output, integrated control. This product is a full electronic structure, use front-end with baffle filled hydraulic resistance type pressure sensor, the conversion from the high accuracy A/D, the microprocessor processing, the scene display, and output an analog and five switch. The intelligent digital pressure controller is flexible to use, simple operation, easy debugging, safe and reliable. Widely used in hydropower, tap water, petroleum, chemical, mechanical, hydraulic and other industries, the fluid medium pressure field measurement display and control.



Feature

1. 150mm standard instrumentation installation
2. Dual 4 bit LED digital tube display, the main screen 0.8 inch 0.36 inch screen.
3. Five way control point relay output 220VAC/3A, the user is free to set
4. 4~20mA standard signal output (optional)
5. Power supply (or optional 24VDC/220VAC dual power supply)
6. Pay the screen can display the maximum value, minimum value, percentage, and all control pull value and release, users can change the value..
7. The function of the user at any time to clear the scene.
8. Industrial design, strong anti electromagnetic interference.

Technical Parameters

Measuring range	0-60MPa	Precision grade	0.3%,0.5%FS
Overload capacity	200%	Pressure type	Gage pressure, Differential pressure, Absolute pressure
Stability	≤0.1% /year	The power supply voltage	220VAC/24VDC
The main display	0.8 'digital tube	Display range	-1999~9999
The auxiliary display	0.36' digital tube	Analog output	4-20m ADC
Ambient temperature	-20C-70C	Relative humidity	≤80%
The number of switches	0-5 road	Switching characteristics	A relay normally open /closed
Mounting screw	M20*1.5	Protection grade	IP54

CX-PS-SV negative pressure controller

This controller adopt rubber diaphragm sensor element ,ordinary type suit for gas ,liquid ,or steam which has no corrosion effect and achieve automatic control , the value of controller can adjustable ,the range is 0.1-0-0.1MPa.

The mark of anti-explosion is Exed||CT6, suit for gas ,liquid ,or steam and medium ||A ||B || C T1~T6 explosive gas mixture which achieve automatic control. If you adapt window type please give instructions before you buy it ,the window type number is SVC ,SCA series.



Main Technical Specifications

	Ordinary type	Anti -explosion
Working viscosity	≤10-3m ² /s	≤10-3m ² /s
Switch element	Micro switch	Micro switch
Range of anti-explosion	/	Exed II CT6 number: 320110395
Range of Shell protection	IP65	IP65
Environmental temperature	-15C-65C	-15C-65C
Environmental humidity	5%-95%	5%-95%
Life span	105times circle	105times circle
Anti-earthquake	< Max·2g	< Max·2g
Contact capacity	V _{max} =380v I _{max} =15A	V _{max} =380v I _{max} =5A
Repeatability error	≤1.0%	≤1.0%

Scale Parameter Table

Scale number	Scale	Dead zone	Switching frequency	Sensor material
KM010	0.1-0-0.1MPa	0.004MPa	20times/sc	Ding Qing rubber
GM010	0.1-0-0.1MPa	0.004MPa	20times/sc	316L

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cxi@nt-rt.ru || сайт: <https://cixi.nt-rt.ru/>